



INSTRUCTION FOR USE/ NOTICE D'UTILISATION / GEBRAUCHSANWEISUNG / GEBRUIKSAANWIJZING / MANUAL DE USO / MANUAL DE UTILIZAÇÃO / MANUALE D'USO / BRUKSANVISNING / NÁVOD K POUŽITÍ

SERVICING/MAINTENANCE/SAFETY INSTRUCTIONS - ENTRETIEN / MAINTENANCE / CONSEILS DE SÉCURITÉ - PFLEGE / WARTUNG / SICHERHEITSHINWEISE - VERZORGING / ONDERHOUD / VEILIGHEIDSADVIES - CONSERVACIÓN / MANTENIMIENTO / RECOMENDACIONES DE SEGURIDAD - CUIDADOS A TER / MANUTENÇÃO / CONSELHOS DE SEGURANÇA - CURA / MANUTENZIONE / CONSIGLI DI SICUREZZA - SKÖTSEL / UNDERHÂLL / SĂKERHETSANVISNINGAR - PÉCE / ÚDRŽBA / BEZPEČNOSTNÍ DOPORUČENÍ



CF 600

ROBOTIC POOL CLEANER / ROBOT NETTOYEUR DE PISCINE

EN	2
FR	12
DE	22
DE	22
NL	32
ES	//2
PT	52
ІТ	(2)
II	02
SE	72
CS	82

CONTENTS

SAFETY INSTRUCTIONS	13
DESCRIPTION	14
Introduction	14
Packing list	14
Specifications	16
INSTRUCTIONS FOR USE	14
Installation	14
Immersion of the cleaner	14
Operation	16
App Connection	7
MAINTENANCE	18
Clean the filter	7
WARRANTY	21
	-

NOTICE À LIRE ATTENTIVEMENT ET À CONSERVER POUR UNE CONSULTATION ULTÉRIEURE

Le manuel des nettoyeurs électriques CF a pour but de vous donner toutes les informations nécessaires à une installation, une utilisation et un entretien optimal. Il est indispensable de se familiariser avec ce document et de le conserver dans un lieu sûr et connu pour des consultations ultérieures.

SAFETY INSTRUCTIONS

- When the cleaner is placed on shore or is taken out from the pool, please make sure to turn off the power supply, otherwise it will easily cause serious damage to the cleaner.
- The power cord of the cleaner must be plugged into the socket with leakage protection device. No one is allowed to enter the swimming pool when the cleaner is working, so as to avoid danger and injury.
- When putting the cleaner into the swimming pool or take it out from the swimming pool, you must hold the handle. Do not pull the cable. Before starting the cleaner every time, exhaust the gas in the machine as much as possible (there is no bubbles or the machine completely sinks to the bottom of the pool), so as to avoid the gas affecting the normal operation of the cleaner.
- Before starting the cleaner, the filter screen must be installed, and at the same time, it must be confirmed that the cable is completely relaxed, so as to avoid cable entanglement during work, which will affect the cleaning effect of the cleaner. In serious cases, it may cause damage to the cleaner.
- Clean the filter box in time after each use of the cleaner, so as not to affect the work of the cleaner due to excessive dirt in the filter box.
- When the cleaner is not in use, please store the cleaner in a cool and ventilated place indoors. Avoid direct sunlight.
- When the cleaner is working, the power supply control box should be placed in the shade. Do not place or cover anything on the power supply control box to prevent damage to the internal electrical components due to overheating.
- Non-professionals shall not disassemble the main machine body of the cleaner and the power supply control box at will, to avoid danger or avoid damage to the cleaner.
- To prevent accidents, it is recommended that the power supply box should be connected to the fixtures beside the pool with safety ropes before use.
- It is strictly forbidden to use this machine outsides its operating conditions. Please read this user manual carefully before using the machine.
- For the cleaning in different seasons, the filter screens with different density can be changed. Please contact the agent to buy filter screen with different density.
- Ensure that the PH value of the water of the swimming pool is 7.0-7.2.
- It is forbidden to put water treatment chemicals into the machine, to use the machine for chemical distributing. If the machine is damaged for this reason, the manufacturer is not responsible for the warranty.

DESCRIPTION

INTRODUCTION

CF 600 is a high-end series product, which integrates the most advanced technology of swimming pool cleaning robot, including sensors, intelligent path planning, self-adaption to swimming pool, super obstacle-surmounting capacity, high-efficiency dirt suction and high-precision filtration, remote control and upgrade functions. It is suitable for large/medium swimming pools. The machine has strong climbing function and can work flexibly in swimming pools made of PVC, ceramic tiles, cement and other materials. The machine is equipped with 3-motor drive system, it can easily solve the problem of line winding. The machine has a secondary filtration system, which can absorb fine dust. The machine is equipped with high-precision gyroscope, infrared, and it adopts multisensor integration algorithm. It can provide the optimal path planning according to the shape and size of the swimming pool to achieve efficient and high-quality cleaning effect

The main machine body is powered by low-voltage DC 28V power supply, it has high safety and reliability.

Before using this product, please read the manual carefully so that you can use this machine correctly.

PACKING LIST

S/N	Name	Specifications	Quantity (pieces)	Remarks
1	Body of the cleaner and cable	CF 600	1	in the box
2	Power supply box	Power I 130	1	in the box
3	User Manual		1	in plastic bag

DESCRIPTION

SPECIFICATIONS

• Input rated voltage: 100~240VAC

Frequency: 50Hz/60HzOutput voltage: DC28V

• Power of the power supply: 130W; power of the machine: 100W

Working time: 1h/2h/3h

• 4 working modes : whole pool/pool bottom/pool wall/waterline.

• Water filtration: about $15m^3/h$.

• Filtration capacity: 80µ mesh

• Moving speed: 11m/min~16m/min

• Waterproof rating: cleaner IPX8, power supply box IPX5


• Operate the machine by connecting Bluetooth and using the APP.

• Working environment temperature: 0~+40°C.

INSTRUCTIONS FOR USE


INSTALLATION


The power supply control box must be placed in a suitable position to ensure that the cleaner can reach every corner of the swimming pool. At the same time, the position of the power supply control box should not be less than 3.5 meters from the edges of the swimming pool.



IMMERSION OF THE CLEANER


When putting the cleaner into the swimming pool, the bottom of the cleaner shall face
the pool wall, hold the handle and put the cleaner into the water. And the cleaner
will slowly discharge the gas (the gas in the cleaner must be completely discharged,
otherwise it will affect the normal operation of the machine). Let the machine naturally
sinks to the bottom of the pool.





INSTRUCTIONS FOR USE

• When taking out the cleaner from the pool, you only can hold the handle, do not pull the cable.





OPERATION



Power button:

Long press (3 sec.) --> start-up/ shutdown.

Short press (after start-up) --> standby / automatic operation.

• Status of backlight indicator:

Always on --> standby.

Breathing --> automatic operation.

Flashing --> fault status.

· Bluetooth button:

It is used with APP, press the button and hold for 3 sec., and connect with the Bluetooth according to the user name and password sent by APP.

Status of the backlight indicator: When pairing, the indicator light flashes for 1 sec. After the connection, it is always on.

INSTRUCTIONS FOR USE

APP CONNECTION

• Download the App:

- For Android phones, search WYBOT in Google play and download it
- For iPhone, search WYBOT in App store and download it
- Turn on the machine, the machine light is blue and always on
- Connect the App with the machine within 20s the machine starting
- After the connection is successful, the App will give a «Success» prompt
- After entering the App interface, the parameters of the current machine will be displayed, and users can modify the parameters according to their own cleaning requests (cleaning zone, duration)
- After selecting the parameters, click Confirm
- After restarting, the machine will execute the corresponding cleaning program according to the preset parameters


• Note:

- When using App, it needs to obtain Bluetooth use permission and location permission of the mobile phone
- App is suitable for iOS 14 and above, and Android 8.0 and above.
- To obtain weather information in App, you need to turn on Location service.

MAINTENANCE

CLEAN THE FILTER BOX

After cleaning is completed, take out the cleaner from the swimming pool, press the button at the tail, the upper cover will automatically bounce off, lift the upper cover, take out the filter box, pour out the debris inside it and rinse the filter box with clear water.



WARRANTY

- This product is covered by warranty for 24 months (only for driving kit and control box kit) from the date of purchase. Consumable parts are beyond warranty which include Filter Tray/ Brush/ Wheels/Nozzles.
- This warranty is voided if the product has been altered, misused, or has been repaired by unauthorized personnels.
- The warranty extends only to manufacturing defects and does not cover any damage resulting from mishandling of the product by the owner.
- The order number or record must be presented for any claim or repair during the warranty period.





Environmental Programmes, WEEE European Directive



Please respect the European Union regulations and help to protect the environment.

Return non-working electrical equipment to a facility appointed by your municipality that properly recycles electrical and electronic equipment. Do not dispose them in unsorted waste bins.

For items containing removable batteries, remove batteries before disposing of the product.

CF GROUP DEUTSCHLAND GmbH

BAHNHOFSTRASSE 68 73240 WENDLINGEN GERMANY

INFO.DE@CF.GROUP WWW.CF-GROUP/DEUTSCHLAND & +49 (7024) 4048 - 100

CACHET



a brand by*



A brand by / Une marque CF group / Un marchio di CF group / Een merk van CF group / Ett varumärke från CF group

Dreams, health and care with water / Concilier rêves, santé et soin grâce à l'eau / Sogni, salute e cura con l'acqua / Water is wellness: goed voor lichaam en geest / Vatten: En källa till hälsa, drömmar och helande

CF - Trust the pool experts / Faites confiance aux experts de la piscine / Affidati agli esperti delle piscine / Vertrouw op de zwembad experts / Lita på pool-experterna